INDEX TO AUTHORS.

BARNES, J. M., the enzymes of lymphocytes and polymorphonuclear leucocytes, 264
——— see *Sanders, A. G.*
BARRET, J. F., a new blood test and its application to the micro-determination of haemoglobin, 22
BECK, S., the failure of intraperitoneal injection of 3 : 4-benzpyrene solution to increase the general susceptibility to cancer, 133
——— and PEACOCK, P. R., the latent carcinogenic action of 3 : 4-benzpyrene ; results of intermittent applications to the skin of mice, 227
BROOKE, W. S., see *Wells, A. Q.*
BURNET, F. M., influenza virus infections of the chick embryo lung, 147
BURTON, H., MCLEOD, J. W., MCLEOD, T. S., and MAYR-HARTING, A., on the relationships between the respiratory activities of bacteria and their sensitiveness to sulphanilamide, *p*-hydroxylamino- and *p*-nitrobenzenesulphonamide, 288

CHAIN, E., see *Epstein, L. A.*
——— and DUTHIE, E. S., identity of hyaluronidase and spreading factor, 324
CUMMINS, S. L., the augmentation of action of anthracite and other dusts by dead tubercle bacilli, 64

DAVIES, R., the effect of carbon dioxide on the growth of the tubercle bacillus, 243
DOLBY, D. E., see *Macfarlane, M. G.*
DUTHIE, E. S., see *Chain, E.*

EBERT, R. H., SANDERS, A. G., and FLOREY, H. W., observations on lymphocytes in chambers in the rabbit's ear, 212
EPSTEIN, L. A., and CHAIN, E., some observations on the preparation and properties of the substrate of lysozyme, 339

FAIRLEY, N. H., the spontaneous disintegration of certain blood pigments, with special reference to methaemalbumin formation, 231
FARRELL, L. N., appraisal of therapeutic agents in experimental staphylococcal infection, 302
FILDES, P., the mechanism of the anti-bacterial action of mercury, 67
——— indole as a precursor in the synthesis of tryptophan by bacteria, 315
——— see *Gladstone, G. P.*
FINDLAY, G. M., the action of sulphanilamide on the virus of lymphogranuloma venereum, 356
——— see *MacCallum, F. O.*
——— and MACCALLUM, F. O., experiments on the growth in vitro of the virus of yellow fever, 173
——— MACKENZIE, R. D., and MACCALLUM, F. O., chemotherapeutic experiments on pleuropneumonia-like organisms in rodents, 13
FISK, A., the technique of the coagulase test for staphylococci, 311
FLOREY, H. W., see *Ebert, R. H.*, and *Sanders, A. G.*
FRAZER, A. C., and STEWART, H. C., inactivation of cobra venom by finely dispersed emulsion, 361

GLADSTONE, G. P., and FILDES, P., a simple culture medium for general use without meat extract or peptone, 161
GREEN, H. N., the mode of action of sulphanilamide, 38

HOLMES, E., and LEHMANN, H., on the relationship of lesions of the suprarenal gland to diphtheritic toxaemia, 196

KLECZKOWSKI, A., quantitative investigation of precipitin reactions of proteins treated with phenyl*iso*cyanate and formaldehyde, 1
——— quantitative investigation of changes in antigenic properties in the course of iodination of horse-serum globulin, 98

LEHMANN, H., see *Holmes, E.*

LEWTHWAITE, R., and SAVOOR, S. R., the relation of Sumatran mite fever to the tsutsugamushi disease of British Malaya, 117

MACCALLUM, F. O., see *Findlay, G. M.*
——— and FINDLAY, G. M., the cultivation of lymphocytic choriomeningitis in tissue culture, 110
MACFARLANE, M. G., and DOLBY, D. E., the enzymic activity of vaccinial elementary bodies, 219
MCILWAIN, H., the nutrition of *Streptococcus haemolyticus* in a chemically defined mixture; need for vitamin B_6, 25
——— pyridine-3-sulphonic acid and its amide as inhibitors of bacterial growth, 136
MCINTOSH, J., and SELBIE, F. R., the application of the Sharples centrifuge to the study of viruses, 153
MACKENZIE, R. D., see *Findlay, G. M.*
MCLEOD, J. W., see *Burton, H.*
MCLEOD, T. S., see *Burton, H.*
MAYR-HARTING, A., see *Burton, H.*
MEDAWAR, J., observations on lymphocytes in tissue culture, 205
MORGAN, W. T. J., see *Partridge, S. M.*

PARTRIDGE, S. M., and MORGAN, W. T. J., immunization experiments with artificial complexes formed from substances isolated from the antigen of *Bact. shigae*, 180
PEACOCK, P. R., see *Beck, S.*
PIRIE, A., the effect of lysozyme on the union between a phage and the susceptible *Bacillus megatherium*, 125

SANDERS, A. G., see *Ebert, R. H.*
——— and FLOREY, H. W., the effects of the removal of lymphoid tissue, 275
——— ——— and BARNES, J. M., the output of lymphocytes from the thoracic duct in cats and rabbits, 254
SAVOOR, S. R., see *Lewthwaite, R.*
SCOTT, L. D., rapid methods for the determination of urea in blood and urine, 93
——— the concentration and detoxification of human urine for biological pregnancy diagnosis, 320
SELBIE, F. R., the inhibition of the action of sulphanilamide in mice by *p*-aminobenzoic acid, 90
——— see *McIntosh, J.*
STEWART, H. C., see *Frazer, A. C.*

WELLS, A. Q., and BROOKE, W. S., the effect of vaccination of guinea-pigs with the vole acid-fast bacillus on subsequent tuberculous infection, 104
WOODS, D. D., the relation of *p*-aminobenzoic acid to the mechanism of the action of sulphanilamide, 74